

Guillotines

INDUSTRIAL SERIES




Mechanically Operated

Premium 1 year warranty included

METAL CUTTING SYSTEM

Guillotines

Industrial Series



Our range of mechanical & hydraulic guillotines have been in development for many years. With 2 ranges, mechanical and hydraulic we have all your bases covered when it comes to sheet metal cutting. **Mechanical Guillotines** can process **up-to 3.2 mm** in thickness (whereas our premium **Hydraulic Guillotines** can process **up-to 20mm** in thickness).

Mantech have been supplying industrial machinery for nearly 25 years, why not get in touch with one of our industry experts to discuss your sheet metal machinery requirements.

Used in an array of industries such as:

Aerospace | Automotive | Sign Making | Fabrication | Protoyping

⁶⁶Easy to operate, affordable pricing. The Mechanical Guillotine Range should be on your list of sheet metal machinery. ⁹⁹



Guillotines

Mechanical Specifications

Mechanical - Standard Features & Equipment

CE certified + side fences & Top fence with Opto-Electrical Guards

1000mm squaring arm with rule and flip up stops

One off 1.0M Ruled Squaring Arm with tilting stop

two off 1.0M Front Support Arms

one off 1.0M Ruled Front Support Arm with tilting stop

Cutting illumination

Hand Moveable Foot Pedal control including emergency stop

Bed infill plates with ball transfers

E21S Control (go To) / Programmable steps/ Stock Counter/ One side positioning / Retract facility

Opto-electrical Rear Guards, Electric Footswitch, Manuals, 400V/3PH/50h

Mechanical Guillotine Model & Operational Data

Model	Max. Shearing Thickness (mm)	Max. Shearing Width (mm)	Shearing Angle (°)	Number of stroke (mm)	Back gauge range (mm)	Height of working table (mm)	Motor power (kW)	Net weight (kg)	Dimensions (L*W*H)
QH11D-3.5X1250	3.5	1250	1°30′	47	0-650	800	5.5	1450	1860*2210*1180
QH11D-3.2X2000	3.2	2000	1°45′	47	0-650	800	7.5	1800	2624*2210*1180
QH11D-3.2X2500	3.2	2500	1º18′	47	0-650	800	7.5	2200	3124*2210*1180
QH11D-3.2X3050	3.2	3200	1°30′	47	0-650	800	11	3950	3630*2250*1400



E21S Control



Guillotine Control



E21S Controller features

Programmable multiple steps

Can save up to 40 Programs 25 steps per program

One Key backup/restore facility

Holding / decompression time settings

Stock Counter

One side positioning

Retract facility

Contact one of our sheet metal machinery experts today

Tel: 0121 541 1444